



LED COMPONENTS
LED DRIVERS



LED-VORSCHALTGERÄT 166X40X14 MM 198-264V/AC 24V/DC 20W IP20



Product number	4400-0024-1020-0020	
Height	14mm	Weight: 100g
Width	40mm	At CV: 24
Länge:	166mm	Power supply: AC - 230V
Screw contact:	Yes	Surface and color:white
Channels:	1	IP Schutzart: IP20
Number of poles:	4	
Material:	PVC	
Power consumption:	20W	

LED-VORSCHALTGERÄT 137X50X15,5 MM 176-264V/AC 24V/DC 24W IP20



Product number	4400-0024-1024-0020	
Height	15.5mm	Power consumption:24W
Width	50mm	Surface and color: white
Länge:	137mm	Material: Plastic
Channels:	1	IP Schutzart: IP20
Plug contact:	Yes	
Number of poles:	4	
Power supply:	CV	
At CV:	24	

LED-VORSCHALTGERÄT 170X57X18 MM 176-264V/AC 24V/DC 36W IP20




Product number	4400-0024-1036-0020	
Height	18mm	At CV: 24
Width	57mm	Power consumption:36W
Länge:	170mm	Surface and color: white
Channels:	1	Material: Plastic
Plug contact:	Yes	IP Schutzart: IP20
Number of poles:	4	
Weight:	163g	
Power supply:	CV	

LED-VORSCHALTGERÄT 185X64X22 MM 200-240V/AC 24V/DC 60W IP20



Product number	4400-0024-1060-0020	
Height	18mm	At CV: 24
Width	57mm	Power supply: AC - 230V
Länge:	170mm	Surface and color:white
Channels:	1	Material: Plastic
Plug contact:	Yes	IP Schutzart: IP20
Power consumption:	60W	
Number of poles:	4	
Weight:	150g	

LED-VORSCHALTGERÄT 400X40X22 MM 220-240V/AC 24V/DC 250W IP20



Product number **4400-0024-1250-0020**


LED-VORSCHALTGERÄT 148X40X32 MM 90-305V/AC 36VDC O. 700MA 25,2 W DIMMBAR 1,10V WIDERSTAND U. TRIAC IP67



Product number **4400-0036-1025-1367**

Height	32mm	Material:	PVC	IP Schutzart:	IP66
Width	40mm	Cable type:	single strand	Surface and color:	natural color
Länge:	148mm	Power consumption:	25W		
Channels:	1	Cable cross section:	0,75mm ²		
Cable end processing:	tinned	Number of poles:	6		
Weight:	150g	Power supply:	AC - 230V		
At CV:	36	Cable length:	300mm		
Cable conversion:	PVC	At CC:	700mA		

LED-VORSCHALTGERÄT 49X27X20 MM 180-264V/AC 350MA 7W 2,7-19,2V IP20



Product number **4400-0350-1007-0020**

Height	20mm	Cable conversion:	PVC	Power supply:	AC - 230V
Width	27mm	Material:	PVC	Weight:	40g
Länge:	49mm	At CC:	350mA	Surface and color:	white
Screw-on:	Yes	Cable type:	single strand	IP Schutzart:	IP20
Channels:	1	Cable length:	150mm		
Number of poles:	4	At CV:	24		
Number of wires:	4	Cable cross section:	0,75mm ²		
Cable end processing:	tinned	Power consumption:	7W		


LED-VORSCHALTGERÄT TRIAC DIMMBAR 58X36X23 MM 198-264V/AC 350MA15W 27-42V IP44



Product number **4400-0350-1015-1044**


Height	23mm	Cable conversion:	PVC	Power supply:	AC - 230V
Width	36mm	Material:	PVC	IP Schutzart:	IP44
Länge:	58mm	At CC:	350mA	Surface and color:	white
Screw-on:	Yes	Cable type:	single strand		
Channels:	1	Cable length:	150mm		
Number of poles:	4	Cable cross section:	0,75mm ²		
Number of wires:	4	Power consumption:	15W		
Cable end processing:	tinned	Weight:	60g		

LED-VORSCHALTGERÄT 108X52X22 MM 198-264V/AC 350MA 25-51V 18W TRIAC DIMMBAR IP20



Product number **4400-0350-1021-1120**

LED-VORSCHALTGERÄT 137X42.5X29.5MM 24.5-37W 350MA 70-105V TRIAC DIMMBAR IP20



Product number **4400-0350-1037-1120**

LED-VORSCHALTGERÄT 108X52X22 MM 198-264V/AC 500MA 16-42V 21W TRIAC U. TASTER DIMMBAR IP20



Product number **4400-0500-1021-1120**

Height	22mm	Material:	PVC
Width	52mm	Power supply:	AC - 230V
Länge:	108mm	Power consumption:	21W
Screw-on:	Yes	At CC:	500mA
Screw contact:	Yes	Surface and color:	white
Channels:	1	IP Schutzart:	IP20
Number of poles:	4		
Weight:	108g		


LED-VORSCHALTGERÄT 112X46X15 MM 176-264V/AC 24V/DC 12W IP20



Product number **4400-1024-1012-0020**

Height	15mm	Weight:	61,3g
Width	46mm	Power consumption:	12W
Länge:	112mm	Surface and color:	white
Channels:	1	Material:	Plastic
Plug contact:	Yes	IP Schutzart:	IP20
Number of poles:	4		
Power supply:	CV		
At CV:	24		

LED-VORSCHALTGERÄT 137X42,5X29,5 MM 200-240 V/AC SEK. 1050MA 30-40V 42W TRIAC DIMMBAR IP20



Product number

4400-1050-1042-1020

Height: 29.5mm
Width: 42.5mm
Länge: 137mm
Screw-on: Yes
Plug contact: Yes
Number of poles: 4
Weight: 128g
Material: PVC

At CC: 1050mA
Power supply: AC - 230V
Power consumption: 42W
Surface and color: white
IP Schutzart: IP20

LED-VORSCHALTGERÄT SLIM 300X30X16 MM 176-264V/AC 24V/DC 60W IP20



Product number

4401-0024-0060-0020

Height: 16mm
Width: 30mm
Länge: 300mm
Screw-on: Yes
Channels: 1
Plug contact: Yes
Power consumption: 60W
Number of poles: 4

At CV: 24
IP Schutzart: IP20

LED-VORSCHALTGERÄT SLIM 241X30X21 MM 176-264V/AC 24V/DC 60W IP20




Product number

4401-0024-0060-1020

Height: 21mm
Width: 30mm
Länge: 241mm
Screw-on: Yes
Screw contact: Yes
Channels: 1
Power consumption: 60W
Number of poles: 4

Weight: 150g
Material: PVC
At CV: 24
Power supply: AC - 230V
Surface and color: white
IP Schutzart: IP20

LED-VORSCHALTGERÄT SLIM 360X40X21 MM 176-264V/AC 24V/DC 150W IP20



Product number

4401-0024-0150-1020

No image available


LED-VORSCHALTGERÄT Ø50X24 MM 100-240V/AC 24V/DC 12W PRIMÄR U. SEKUNDÄR M. KABEL 150MMLG. IP65



Product number 4409-0024-1012-0065

Height	24mm	Power consumption:	12W
Screw-on:	Yes	Surface and color:	white
Channels:	1	Material:	Plastic
Number of poles:	4		
Outer diameter:	50,0mm		
At CV:	24		
IP Schutzart:	IP67		
Weight:	91g		

LED-VORSCHALTGERÄT 280X30X21 MM 220-240V/AC 200-350MA EINSTELLBAR Ü. DIP SWITCH 54-80W 30-270V IP20



Product number 4410-0350-1080-0020

Height	21mm	At CC:	350mA
Width	30mm	Number of poles:	6
Länge:	280mm	Power consumption:	80W
Screw-on:	Yes	Power supply:	AC - 230V
Weight:	142g	Surface and color:	white
Channels:	1	IP Schutzart:	IP20
Plug contact:	Yes		
Material:	PVC		


LED-VORSCHALTGERÄT 360X30X21 MM 198-264V/AC 140-350 MA EINSTELLB. Ü. DIP SWITCH 35-80W DALI 30-250V IP20



Product number 4410-0350-1080-2120


Height	21mm	At CC:	350mA
Width	30mm	Weight:	213g
Länge:	360mm	Power consumption:	80W
Screw-on:	Yes	Power supply:	AC - 230V
Number of poles:	8	Surface and color:	white
Plug contact:	Yes	IP Schutzart:	IP20
Channels:	2		
Material:	PVC		

LED-VORSCHALTGERÄT DALI M. THERMOSENSOR 103X67X21MM 99-264V/AC 250-700 MA 12-32W 3-48V EINSTELLB. Ü. DIP SWITCH IP20



Product number 4410-0700-1032-2121

LED-VORSCHALTGERÄT 168X50X30 MM 108-305V/AC 350-800MA 50W 30-115V 0-10V U. ASTRO DIMMBAR IP64




Product number

4440-0800-1050-6364

Height	30mm	Cable conversion:	PVC	IP Schutzart:	IP64
Width	50mm	Cable length:	270mm	Surface and color:	white
Länge:	168mm	Cable type:	single strand		
Screw-on:	Yes	Power consumption:	50W		
Channels:	1	Cable cross section:	0,75mm ²		
Number of wires:	7	At CC:	800mA		
Number of poles:	7	Power supply:	AC - 230V		
Weight:	435g	Material:	Aluminium		

LED-VORSCHALTGERÄT 168X50X30 MM 108-305V/AC 600-1250MA 50W 20-55V 0-10V U. ASTRO DIMMBAR IP64




Product number

4440-1200-1100-6364


Height	30mm	Cable conversion:	PVC	IP Schutzart:	IP64
Width	50mm	Cable length:	270mm	Surface and color:	white
Länge:	168mm	Cable type:	single strand		
Screw-on:	Yes	Power consumption:	50W		
Channels:	1	Cable cross section:	0,75mm ²		
Number of wires:	7	At CC:	1250mA		
Number of poles:	7	Power supply:	AC - 230V		
Weight:	435g	Material:	Aluminium		

LED-STECKERNetzGERÄT MIT PLUG SYSTEM 200-240V/AC 12V/DC 12W IP20 WEISS ZULEITUNG/1500500
MIT HANDZWISCHENSCHALTER KABELENDEN VERZINNT




Product number 4500-0012-0012-2024

LED-STECKERNetzGERÄT MIT PLUG SYSTEM 200-240V/AC 12V/DC 24W IP20 SCHWARZ ZULEITUNG
3000MM RUNDKABEL AWG22



Product number 4500-0012-0024-2023

LED-STECKERNetzGERÄT 220-240V/AC 24V/DC 12W IP65



Product number 4500-0024-0012-0065

Plug: Yes
Power supply: CV
Surface and color: black
At CV: 24
Power consumption: 12W
IP Schutzart: IP64

LED-STECKERNetzGERÄT 100-240V/AC 24V/DC 20W IP20 ZULEITUNG 3500MM



Product number 4500-0024-0020-0020

Height: 30mm
Width: 43mm
Länge: 75mm
Number of poles: 2
Number of wires: 2
Cable end processing: tinned
Plug: Yes
Weight: 95g

Cable conversion: PVC
Material: PVC
Power consumption: 20W
Surface and color: black
At CV: 24
Cable cross section: 0,75mm²
Power supply: AC - 230V
Cable length: 3500mm

Cable type: twin strands
IP Schutzart: IP20

LED-STECKERNetzGERÄT 220-240V/AC 24V/DC 24W IP20 ZULEITUNG 1800MM



Product number

Height: 30mm
Width: 45mm
Länge: 85mm
Number of poles: 2
Channels: 1
Number of wires: 2
Weight: 106g
Plug: Yes

4500-0024-0024-0020

Cable conversion: PVC
Material: PVC
Cable end processing: female connector
Cable type: hose cable
Surface and color: black
At CV: 24
Cable cross section: 0,75mm²
Power supply: AC - 230V
Cable length: 1800mm
Power consumption: 24W
IP Schutzart: IP20