






LED COMPONENTS
LED OPTICS



 KU SPOTOPTIK Ø 21,5X11,8 MM ABSTRAHLWINKEL 25° PMMA TRANSPARENT


Product number 7200-0021-1125-4727

Height 11.8mm
 Bayonet: Yes
 Surface and color: transparent
 Weight: 2,94g
 Outer diameter: 21,5mm
 beam angle: 25 degrees
 Material: Plastic

 KU SPOTOPTIK Ø 21,6X12 MM ABSTRAHLWINKEL 11X35° PMMA TRANSPARENT


Product number 7200-0021-1235-4727

Height 12mm
 Bayonet: Yes
 Surface and color: transparent
 Outer diameter: 21,6mm
 Weight: 2,7g
 beam angle: 35 degrees
 Material: Plastic

 KU SPOTOPTIK Ø 21X13,6 MM ABSTRAHLWINKEL 8° PMMA TRANSPARENT


Product number 7200-0021-1308-4727

Height 13.6mm
 Bayonet: Yes
 Surface and color: transparent
 Outer diameter: 21,0mm
 beam angle: 8 degrees
 Weight: 2,62g
 Material: Plastic

 KU SPOTOPTIK Ø 21X13,7 MM ABSTRAHLWINKEL 25° PMMA TRANSPARENT


Product number 7200-0021-1325-4727

Height 13.7mm
 Bayonet: Yes
 Surface and color: transparent
 Outer diameter: 21,0mm
 Weight: 2,67g
 beam angle: 25 degrees
 Material: Plastic

KU SPOTOPTIK Ø 21X13,7 MM ABSTRAHLWINKEL 45° PMMA TRANSPARENT

Product number 7200-0021-1345-4727

Height 13.7mm
 Bayonet: Yes
 Surface and color: transparent
 Weight: 2,74g
 Outer diameter: 21,0mm
 beam angle: 45 degrees
 Material: Plastic

KU KUGELOPTIK Ø30X13 MM ABSTRAHLWINKEL 60° PMMA OPAL WEISS

Product number 7200-0030-1360-4724

Height 13mm
 Outer diameter: 30,0mm
 beam angle: 60 degrees
 Weight: 4,32g
 Surface and color: opal-white
 Material: Plastic

HALTER F. KU KUGELOPTIK Ø32X14 MM ÖFFNUNG F. LES 12MM PC WEISS

Product number 7200-0032-1412-1924

Height 14mm
 Outer diameter: 32,0mm
 Weight: 3,15g
 Material: PC
 Surface and color: white

HALTER F. KU KUGELOPTIK Ø32X14 MM ÖFFNUNG F. LES 14,9MM PC WEISS

Product number 7200-0032-1414-1924

Height 14mm
 Outer diameter: 32,0mm
 Material: PC
 Weight: 3,5g
 Surface and color: white

KU SPOTOPTIK TWIST Ø 50X22 MM ABSTRAHLWINKEL 15° PMMA TRANSPARENT



Product number 7200-0050-2215-4727

Height 22mm
Bayonet: Yes
Surface and color: transparent
Weight: 22,95g
Outer diameter: 50,0mm
beam angle: 15 degrees
Material: Plastic

KU SPOTOPTIK TWIST Ø 50X22 MM ABSTRAHLWINKEL 24° PMMA TRANSPARENT



Product number 7200-0050-2224-4727

Height 22mm
Bayonet: Yes
Surface and color: transparent
Weight: 22,95g
Outer diameter: 50,0mm
beam angle: 24 degrees
Material: Plastic

KU SPOTOPTIK TWIST Ø 50X22 MM ABSTRAHLWINKEL 36° PMMA TRANSPARENT



Product number 7200-0050-2235-4727

Height 22mm
Bayonet: Yes
Surface and color: transparent
Weight: 22,95g
Outer diameter: 50,0mm
beam angle: 36 degrees
Material: Plastic

KU SPOTOPTIK TWIST Ø 50X22 MM ABSTRAHLWINKEL 60° PMMA TRANSPARENT



Product number 7200-0050-2260-4727

Height 22mm
Bayonet: Yes
Surface and color: transparent
Outer diameter: 50,0mm
Weight: 10g
beam angle: 60 degrees
Material: Plastic

KU SPOTOPTIK TWIST Ø 69X29,45 MM ABSTRAHLWINKEL 12° PMMA TRANSPARENT



Product number 7200-0069-2912-4727

Height 29.45mm
Bayonet: Yes
Surface and color: transparent
beam angle: 12 degrees
Outer diameter: 69,0mm
Weight: 52,68g
Material: Plastic

KU SPOTOPTIK TWIST Ø 69X29,45 MM ABSTRAHLWINKEL 24° PMMA TRANSPARENT



Product number 7200-0069-2924-4727

Height 29.45mm
Bayonet: Yes
Outer diameter: 69,0mm
Weight: 55,59g
beam angle: 24 degrees
Material: Plastic

KU SPOTOPTIK TWIST Ø 69X29,45 MM ABSTRAHLWINKEL 33° PMMA TRANSPARENT



Product number 7200-0069-2933-4727

Height 29.45mm
Bayonet: Yes
Weight: 58,8g
Outer diameter: 69,0mm
beam angle: 33 degrees
Material: Plastic

KU SPOTOPTIK TWIST Ø 69X29,45 MM ABSTRAHLWINKEL 36° PMMA TRANSPARENT



Product number 7200-0069-2936-4727

Height 29.45mm
Bayonet: Yes
Surface and color: transparent
Weight: 59,42g
Outer diameter: 69,0mm
beam angle: 36 degrees
Material: Plastic

KU SPOTOPTIK TWIST Ø 69X29,45 MM ABSTRAHLWINKEL 60° PMMA TRANSPARENT



Product number 7200-0069-2960-4727

Height 29.45mm
Bayonet: Yes
Surface and color: transparent
Outer diameter: 69,0mm
Weight: 33,26g
beam angle: 60 degrees
Material: Plastic

KU ADAPTER Ø 50X209 MM F. 50 MM SPOTOPTIKEN PC SCHWARZ



Product number 7902-0050-2000-4723

Clipable: yes
Surface and color: black
Outer diameter: 49,4mm
Diameter inside: 32,9mm
Weight: 4,53g
Material: Plastic

KU ADAPTER Ø 50X209 MM F. 50 MM SPOTOPTIKEN PC WEISS



Product number 7902-0050-2000-4724

Height 20.9mm
Bayonet: Yes
Outer diameter: 50,0mm
Weight: 4,55g
Diameter inside: 23,5mm
Surface and color: white
Material: Plastic

KU ADAPTER Ø 69X30 MM F. 69 MM SPOTOPTIKEN PC SCHWARZ



Product number 7902-0069-2800-4723

Height 30mm
Clipable: yes
Weight: 9,7g
Surface and color: black
Outer diameter: 69,0mm
Diameter inside: 33,0mm
Material: Plastic

KU ADAPTER Ø 69X285 MM F. 69 MM SPOTOPTIKEN PC WEISS



Product number 7902-0069-2800-4724

Height 285mm
Clipable: yes
Outer diameter: 69,0mm
Weight: 9,8g
Surface and color:white
Material: Plastic

KU SPOTOPTIK SHADOW Ø35X20,8 MM ABSTRAHLWINKEL 15° PMMA



Product number 7220-0035-2015-4727

Height 20.8mm
Clipable: yes
Surface and color: transparent
Outer diameter: 35,0mm
beam angle: 15 degrees
Weight: 9,71g
Material: Plastic

KU SPOTOPTIK SHADOW Ø35X20,8 MM ABSTRAHLWINKEL 24° PMMA



Product number 7220-0035-2024-4727

Height 20.8mm
Clipable: yes
Surface and color: transparent
Weight: 9,85g
Outer diameter: 35,0mm
beam angle: 24 degrees
Material: Plastic

KU SPOTOPTIK SHADOW Ø35X20,8 MM ABSTRAHLWINKEL 36° PMMA



Product number 7220-0035-2036-4727

Height 20.8mm
Clipable: yes
Surface and color: transparent
Weight: 9,69g
Outer diameter: 35,0mm
beam angle: 36 degrees
Material: Plastic

KU SPOTOPTIK SHADOW Ø55X32,8 MM ABSTRAHLWINKEL 15° PMMA



Product number 7220-0055-3215-4727

Height 32.8mm
Clipable: yes
Weight: 36,05g
Surface and color: transparent
beam angle: 15 degrees
Outer diameter: 55,0mm
Material: Plastic

KU SPOTOPTIK SHADOW Ø55X32,8 MM ABSTRAHLWINKEL 24° PMMA



Product number 7220-0055-3224-4727

Height 32.8mm
Clipable: yes
Surface and color: transparent
Weight: 36,32g
beam angle: 24 degrees
Outer diameter: 55,0mm
Material: Plastic

KU SPOTOPTIK SHADOW Ø55X32,8 MM ABSTRAHLWINKEL 36° PMMA



Product number 7220-0055-3236-4727

Height 32.8mm
Clipable: yes
Surface and color: transparent
Weight: 39,45g
beam angle: 36 degrees
Outer diameter: 55,0mm
Material: Plastic

KU SPOTOPTIK SHADOW Ø 69X40,8 MM ABSTRAHLWINKEL 15° PMMA



Product number 7220-0069-4015-4727

Height 40.8mm
Clipable: yes
Surface and color: transparent
beam angle: 15 degrees
Outer diameter: 69,0mm
Weight: 74,8g
Material: Plastic

KU SPOTOPTIK SHADOW Ø 69X40,8 MM ABSTRAHLWINKEL 24° PMMA



Product number 7220-0069-4024-4727

Height 40.8mm
Clipable: yes
Surface and color: transparent
Outer diameter: 69,0mm
Weight: 75,31g
beam angle: 24 degrees
Material: Plastic

KU SPOTOPTIK SHADOW Ø 69X40,8 MM ABSTRAHLWINKEL 36° PMMA



Product number 7220-0069-4036-4727

Height 40.8mm
Clipable: yes
Surface and color: transparent
Weight: 85,23g
Outer diameter: 69,0mm
beam angle: 36 degrees
Material: Plastic

KU OPTIKHALTER SHADOW Ø 35X21,2 MM FÜR COB CXA1304 PC SCHWARZ



Product number 7221-0035-1304-1923

Height 21.2mm
Screw-on: Yes
Clipable: yes
Weight: 3,21g
Outer diameter: 35,0mm
Surface and color: black
Material: Plastic

KU OPTIKHALTER SHADOW Ø 35X21,2 MM FÜR COB CXA1507 PC SCHWARZ



Product number 7221-0035-1507-1923

Height 21.2mm
Screw-on: Yes
Clipable: yes
Outer diameter: 35,0mm
Surface and color: black
Weight: 3,16g
Material: Plastic

KU OPTIKHALTER SHADOW Ø 55X34,5 MM FÜR COB CXA1830 PC SCHWARZ



Product number 7221-5534-1830-1923

Height 34.5mm
Screw-on: Yes
Clipable: yes
Weight: 10g
Surface and color: black
Outer diameter: 55,0mm
Material: Plastic

KU OPTIKHALTER SHADOW Ø 55X34,5 MM FÜR COB 1919 PC SCHWARZ



Product number 7221-5534-1919-1923

Height 34.5mm
Screw-on: Yes
Clipable: yes
Weight: 10,1g
Surface and color:black
Outer diameter: 55,0mm
Material: Plastic

KU OPTIKHALTER SHADOW Ø 69X42,57 MM FÜR COB CXA1830 PC SCHWARZ



Product number 7221-6942-1830-1923

Height 42.57mm
Screw-on: Yes
Weight: 14,91g
Surface and color:black
Outer diameter: 69,0mm
Material: Plastic

KU OPTIKHALTER SHADOW Ø69X42,57 MM FÜR COB CXA1919 PC SCHWARZ



Product number 7221-6942-1919-1923

Height 42.57mm
Screw-on: Yes
Surface and color:black
Outer diameter: 69,0mm
Weight: 15,55g
Material: Plastic

KU DESIGNBLENDE SHADOW UGR REDUZIEREND Ø50X15,6 MM F. Ø35MM SPOTOPTIK PC CHROM



Product number 7222-0050-1500-1902

Height 15.6mm
Clipable: yes
Surface and color:chrome plated
Outer diameter: 50,0mm
Diameter inside: 35,0mm
Weight: 4,04g
Material: Plastic

KU DESIGNBLENDE SHADOW UGR REDUZIEREND Ø50X15,6 MM F. Ø35MM SPOTOPTIK PC PLATIN CHROM



Product number 7222-0050-1500-1917

Height 15.6mm
Clipable: yes
Outer diameter: 50,0mm
Diameter inside: 35,0mm
Weight: 3,95g
Surface and color:platin-chrom
Material: Plastic

KU DESIGNBLENDE SHADOW UGR REDUZIEREND Ø50X15,6 MM F. Ø35MM SPOTOPTIK PC WEISS



Product number 7222-0050-1500-1924

Height 15.6mm
Clipable: yes
Outer diameter: 50,0mm
Weight: 4g
Diameter inside: 35,0mm
Surface and color:white
Material: Plastic

KU DESIGNBLENDE SHADOW UGR REDUZIEREND Ø81,4X25 MM F. Ø55MM SPOTOPTIK PC SCHWARZ CHROM



Product number 7222-0081-2500-1916

Height 25mm
Clipable: yes
Weight: 15,21g
Surface and color:schwarz-chrom
Outer diameter: 81,4mm
Diameter inside: 55,0mm
Material: Plastic

KU DESIGNBLENDE SHADOW UGR REDUZIEREND Ø81,4X25 MM F. Ø55MM SPOTOPTIK PC PLATIN CHROM



Product number 7222-0081-2500-1917

Height 25mm
Clipable: yes
Weight: 14,6g
Outer diameter: 81,4mm
Surface and color:velours-chrome
Diameter inside: 55,0mm
Material: Plastic

KU DESIGNBLENDE SHADOW UGR REDUZIEREND Ø81,4X25 MM F. Ø55MM SPOTOPTIK PC WEISS



Product number 7222-0081-2500-1924

Height 25mm
Clipable: yes
Weight: 14,78g
Outer diameter: 81,4mm
Diameter inside: 55,0mm
Surface and color:white
Material: Plastic

KU DESIGNBLENDE SHADOW UGR REDUZIEREND Ø102X31,3 MM F. Ø69MM SPOTOPTIK PC CHROM



Product number 7222-0102-3100-1902

Height 31.3mm
Clipable: yes
Surface and color:chrome plated
Weight: 31g
Outer diameter: 102,0mm
Diameter inside: 69,0mm
Material: Plastic

KU DESIGNBLENDE SHADOW UGR REDUZIEREND Ø102X31,3 MM F. Ø69MM SPOTOPTIK PC SCHWARZ CHROM



Product number 7222-0102-3100-1916

Height 31.3mm
Clipable: yes
Surface and color:schwarz-chrom
Weight: 31,25g
Outer diameter: 102,0mm
Diameter inside: 69,0mm
Material: Plastic

KU DESIGNBLENDE SHADOW UGR REDUZIEREND Ø102X31,3 MM F. Ø69MM SPOTOPTIK PC PLATIN CHROM



Product number 7222-0102-3100-1917

Height 31.3mm
Clipable: yes
Surface and color:schwarz-chrom
Weight: 31,3g
Outer diameter: 102,0mm
Diameter inside: 69,0mm
Material: Plastic

SILIKONOPTIK 32X28X10MM - ABSTRAHLWINKEL 146X88° TRANSPARENT


Product number 7250-3228-1468-8527

Height 10mm
 Width 28mm
 Länge: 32mm
 Surface and color: transparent
 Weight: 2,85g
 Material: Silicon
 beam angle: 146Grad

 SILIKONOPTIK 32X28X10MM - ABSTRAHLWINKEL 153X75° TRANSPARENT


Product number 7250-3228-1537-8527

Height 10mm
 Width 28mm
 Länge: 32mm
 Surface and color: transparent
 Material: Silicon
 Weight: 3g
 beam angle: 153Grad

 SILIKONOPTIK 35X35X12MM - ABSTRAHLWINKEL 100° F. COB 17X17MM TRANSPARENT


Product number 7250-3535-0100-8527

Height 12mm
 Width 35mm
 Länge: 35mm
 Weight: 6,1g
 Surface and color: transparent
 Material: Silicon
 beam angle: 100Grad

 SILIKONOPTIK 35X35X17MM - ABSTRAHLWINKEL 130X90° F. COB 17X17MM TRANSPARENT


Product number 7250-3535-1309-8527

Height 17mm
 Width 35mm
 Länge: 35mm
 Surface and color: transparent
 Weight: 6,85g
 beam angle: 130Grad
 Material: Silicon

SILIKONOPTIK 78X67X23MM INKL. HALTER120X60° TRANSPARENT**Product number 7250-7867-2360-8527**

Height 23mm
Width 67mm
Länge: 78mm
Surface and color: transparent
Weight: 50,4g
Material: Silicon
beam angle: 120 degrees

 KU MULTI-LINSENOPTIK 12IN1 49,89X49,89X7,25 MM 15° ABSTRAHLWINKEL PC TRANSPARENT


Product number 7300-0050-0015-4712

Height 7,25mm
 Width 49,89mm
 Länge: 49,89mm
 Screw-on: Yes
 Surface and color: transparent
 beam angle: 15 degrees
 Weight: 11,4g
 Material: Plastic

 KU MULTI-LINSENOPTIK 12IN1 49,89X49,89X7,39 MM 30° ABSTRAHLWINKEL PC TRANSPARENT


Product number 7300-0050-0030-4712

Height 7,39mm
 Width 49,89mm
 Länge: 49,89mm
 Screw-on: Yes
 Surface and color: transparent
 beam angle: 30 degrees
 Weight: 11,62g
 Material: Plastic

 KU MULTI-LINSENOPTIK 12IN1 49,89X49,89X7,4 MM 60° ABSTRAHLWINKEL PC TRANSPARENT


Product number 7300-0050-0060-4712

Height 7,4mm
 Width 49,89mm
 Länge: 49,89mm
 Screw-on: Yes
 Surface and color: transparent
 Weight: 5g
 beam angle: 60 degrees
 Material: Plastic

 KU MULTI-LINSENOPTIK 12IN1 49,89X49,89X7,12 MM 90° ABSTRAHLWINKEL PC TRANSPARENT


Product number 7300-0050-0090-4712

Height 7,12mm
 Width 49,89mm
 Länge: 49,89mm
 Screw-on: Yes
 Surface and color: transparent
 beam angle: 90 degrees
 Weight: 6,76g
 Material: Plastic

 KU MULTI-LINSENOPTIK 12IN1 49,89X49,89X4,48 MM IESNA I S PC TRANSPARENT


Product number 7300-0050-0100-5912

Height 4.48mm
 Width 49.89mm
 Länge: 49,89mm
 Screw-on: Yes
 Surface and color:transparent
 Weight: 5,53g
 Material: Plastic

 KU MULTI-LINSENOPTIK 12IN1 49,89X49,89X4,68 MM IESNA I S PC TRANSPARENT


Product number 7300-0050-1100-5912

Height 4.68mm
 Width 49.89mm
 Länge: 49,89mm
 Screw-on: Yes
 Surface and color:transparent
 Weight: 6,28g
 Material: Plastic

 KU MULTI-LINSENOPTIK 12IN1 49,89X49,89X5,38 MM IESNA II S PC TRANSPARENT


Product number 7300-0050-2100-5912

Height 5.38mm
 Width 49.89mm
 Länge: 49,89mm
 Screw-on: Yes
 Surface and color:transparent
 Weight: 8,15g
 Material: Plastic

 KU MULTI-LINSENOPTIK 12IN1 49,89X49,89X4,14 MM IESNA II M PC TRANSPARENT


Product number 7300-0050-2200-5912

Height 4.14mm
 Width 49.89mm
 Länge: 49,89mm
 Screw-on: Yes
 Surface and color:transparent
 Weight: 5,48g
 Material: Plastic

 KU MULTI-LINSENOPTIK 25IN1 75X75X9,4 MM 30° ABSTRAHLWINKEL PMMA TRANSPARENT


Product number **7300-7575-0030-4727**

Height 9,4mm
 Width 75mm
 Länge: 75mm
 Screw-on: Yes
 Surface and color: transparent
 Weight: 30,44g
 beam angle: 30 degrees
 Material: Plastic

 KU IP OPTIK 24IN1 135X100X9 MM ABSTRAHLWINKEL 60° PC TRANSPARENT INKL. SILIKONDICHTUNG


Product number **7310-0135-0060-1924**

Height 9mm
 Width 100mm
 Länge: 135mm
 Screw-on: Yes
 beam angle: 60 degrees
 Weight: 58,87g
 IP Schutzart: IP66
 Material: Plastic

 KU IP OPTIK 24IN1 135X100X9 MM ABSTRAHLWINKEL 90° PC TRANSPARENT INKL. SILIKONDICHTUNG


Product number **7310-0135-0090-1924**

Height 9mm
 Width 100mm
 Länge: 135mm
 Screw-on: Yes
 Weight: 52,97g
 beam angle: 90 degrees
 IP Schutzart: IP66
 Material: Plastic

 KU IP OPTIK 24IN1 135X100X9 MM ABSTRAHLWINKEL IESNA II M PC TRANSPARENT INKL. SILIKONDICHTUNG


Product number **7310-0135-2200-1924**

Height 9mm
 Width 100mm
 Länge: 135mm
 Screw-on: Yes
 Weight: 64,09g
 IP Schutzart: IP66
 Material: Plastic

KU IP OPTIK 24IN1 135X100X9 MM ABSTRAHLWINKEL 30X90° PC TRANSPARENT INKL. SILIKONDICHTUNG


Product number 7310-0135-3090-1924

Height 9mm
 Width 100mm
 Länge: 135mm
 Screw-on: Yes
 beam angle: 90 degrees
 Weight: 86,97g
 IP Schutzart: IP66
 Material: Plastic

KU IP OPTIK 46IN1 286X116X40,4 MM PC TRANSPARENT INKL. SILIKONOPTIK


Product number 7315-0286-0000-1946

Height 40.4mm
 Width 116mm
 Länge: 286mm
 Screw-on: Yes
 Surface and color: transparent
 Weight: 170,15g
 IP Schutzart: IP67
 Material: PC

KU IP MULTI-LINSENOPTIK 46IN1 286X116X16,1MM 8° ABSTRAHLWINKEL PC TRANSPARENT INKL. SILIKONDICHTUNG


Product number 7315-0286-0008-1946

Height 16.1mm
 Width 116mm
 Länge: 286mm
 Screw-on: Yes
 Weight: 221,5g
 beam angle: 8 degrees
 IP Schutzart: IP66
 Material: Plastic

KU IP MULTI-LINSENOPTIK 46IN1 286X116X13,6MM 20° ABSTRAHLWINKEL PC TRANSPARENT INKL. SILIKONDICHTUNG


Product number 7315-0286-0020-1946

Height 13.6mm
 Width 116mm
 Länge: 286mm
 Screw-on: Yes
 beam angle: 20Grad
 Weight: 200,34g
 IP Schutzart: IP66
 Material: Plastic

KU IP MULTI-LINSENOPTIK 46IN1 286X116X13,6MM 40° ABSTRAHLWINKEL PC TRANSPARENT INKL. SILIKONDICHTUNG

Product number 7315-0286-0040-1946

Height 13.6mm
 Width 116mm
 Länge: 286mm
 Screw-on: Yes
 beam angle: 40 degrees
 Weight: 202,63g
 IP Schutzart: IP66
 Material: Plastic

KU IP MULTI-LINSENOPTIK 46IN1 286X116X11,6MM ABSTRAHLWINKEL 50°EINFACH ASSYMETRISCH PC TRANSPARENT INKL. SILIKONDICHTUNG

Product number 7315-0286-0050-1946

Height 11.6mm
 Width 116mm
 Länge: 286mm
 Screw-on: Yes
 beam angle: 50Grad
 Weight: 155,57g
 IP Schutzart: IP66
 Material: Plastic

KU IP MULTI-LINSENOPTIK 46IN1 286X116X11,6MM 60° ABSTRAHLWINKEL PC TRANSPARENT INKL. SILIKONDICHTUNG

Product number 7315-0286-0060-1946

Height 11.6mm
 Width 116mm
 Länge: 286mm
 Screw-on: Yes
 Weight: 173,46g
 beam angle: 60 degrees
 IP Schutzart: IP66
 Material: Plastic

KU IP MULTI-LINSENOPTIK 46IN1 286X116X11,6MM 90° ABSTRAHLWINKEL PC TRANSPARENT INKL. SILIKONDICHTUNG

Product number 7315-0286-0090-1946

Height 11.6mm
 Width 116mm
 Länge: 286mm
 Screw-on: Yes
 beam angle: 90 degrees
 Weight: 154,5g
 IP Schutzart: IP66
 Material: Plastic

KU IP MULTI-LINSENOPTIK 46IN1 286X116X11,6MM ABSTRAHLWINKEL IESNA TYP IV PC TRANSPARENT INKL. SILIKONDICHTUNG

Product number 7315-0286-4000-1946

Height 11.6mm
 Width 116mm
 Länge: 286mm
 Screw-on: Yes
 Weight: 176,92g
 IP Schutzart: IP66
 Material: Plastic

KU IP MULTI-LINSENOPTIK 84IN1 252X70X10,6MM ABSTRAHLWINKEL 15° PC TRANSPARENT INKL. SILIKONDICHTUNG

Product number 7320-0252-0015-1984

Height 10.6mm
 Width 70mm
 Länge: 252mm
 Screw-on: Yes
 beam angle: 15 degrees
 Weight: 100,4g
 IP Schutzart: IP66
 Material: Plastic

KU IP MULTI-LINSENOPTIK 84IN1 252X70X10,6MM ABSTRAHLWINKEL 25° PC TRANSPARENT INKL. SILIKONDICHTUNG


Product number 7320-0252-0025-1984

Height 10.6mm
 Width 70mm
 Länge: 252mm
 Screw-on: Yes
 Weight: 107,63g
 beam angle: 25 degrees
 IP Schutzart: IP66
 Material: Plastic

KU IP MULTI-LINSENOPTIK 84IN1 252X70X7,64MM ABSTRAHLWINKEL 30° PC TRANSPARENT INKL. SILIKONDICHTUNG

Product number 7320-0252-0030-1984

Height 7.64mm
 Width 70mm
 Länge: 252mm
 Screw-on: Yes
 beam angle: 30 degrees
 IP Schutzart: IP66
 Weight: 87,52g
 Material: Plastic


KU IP MULTI-LINSENOPTIK 84IN1 252X70X10,6MM ABSTRAHLWINKEL 40° PC TRANSPARENT INKL. SILIKONDICHTUNG

Product number 7320-0252-0040-1984

Height: 10.6mm
 Width: 70mm
 Länge: 252mm
 Screw-on: Yes
 beam angle: 40 degrees
 Weight: 98,53g
 IP Schutzart: IP66
 Material: Plastic

KU IP MULTI-LINSENOPTIK 84IN1 252X70X7,64MM ABSTRAHLWINKEL 60° PC TRANSPARENT INKL. SILIKONDICHTUNG

Product number 7320-0252-0060-1984

Height: 7.64mm
 Width: 70mm
 Länge: 252mm
 Screw-on: Yes
 Weight: 69,13g
 beam angle: 60 degrees
 IP Schutzart: IP66
 Material: Plastic

KU IP MULTI-LINSENOPTIK 84IN1 252X70X5,2MM ABSTRAHLWINKEL 75° PC TRANSPARENT INKL. SILIKONDICHTUNG

Product number 7320-0252-0075-1984

Height: 5.2mm
 Width: 70mm
 Länge: 252mm
 Screw-on: Yes
 Weight: 62,3g
 beam angle: 75Grad
 IP Schutzart: IP66
 Material: Plastic

KU IP MULTI-LINSENOPTIK 84IN1 252X70X6,7MM ABSTRAHLWINKEL 90° PC TRANSPARENT INKL. SILIKONDICHTUNG

Product number 7320-0252-0090-1984

Height: 6.7mm
 Width: 70mm
 Länge: 252mm
 Screw-on: Yes
 beam angle: 90 degrees
 Weight: 70,57g
 IP Schutzart: IP66
 Material: Plastic

KU IP MULTI-LINSENOPTIK 84IN1 252X70X6,35MM ABSTRAHLWINKEL 120° PC TRANSPARENT INKL. SILIKONDICHTUNG


Product number 7320-0252-0120-1984

Height 6.35mm
 Width 70mm
 Länge: 252mm
 Screw-on: Yes
 Weight: 66,18g
 beam angle: 120 degrees
 IP Schutzart: IP66
 Material: Plastic

KU IP MULTI-LINSENOPTIK 84IN1 252X70X6,7MM ABSTRAHLWINKEL IESNA TYP II S PC TRANSPARENT INKL. SILIKONDICHTUNG

Product number 7320-0252-2100-1984

Height 6.7mm
 Width 70mm
 Länge: 252mm
 Screw-on: Yes
 Weight: 67,73g
 IP Schutzart: IP66
 Material: Plastic

KU IP MULTI-LINSENOPTIK 84IN1 252X70X6,7MM ABSTRAHLWINKEL IESNA TYP II S PC TRANSPARENT INKL. SILIKONDICHTUNG

Product number 7320-0252-21H0-1984

No image available

KU IP MULTI-LINSENOPTIK 84IN1 252X70X6,7MM ABSTRAHLWINKEL IESNA TYP III S PC TRANSPARENT INKL. SILIKONDICHTUNG


Product number 7320-0252-3100-1984

Height 6.7mm
 Width 70mm
 Länge: 252mm
 Screw-on: Yes
 Weight: 80,55g
 IP Schutzart: IP66
 Material: Plastic


KU IP MULTI-LINSENOPTIK 84IN1 252X70X7,64MM ABSTRAHLWINKEL IESNA TYP IV S PC TRANSPARENT INKL. SILIKONDICHTUNG

Product number 7320-0252-4000-1984

Height 7.64mm
 Width 70mm
 Länge: 252mm
 Screw-on: Yes
 Weight: 75g
 IP Schutzart: IP66
 Material: Plastic

KU IP MULTI-LINSENOPTIK 84IN1 520X116X13,7MM ABSTRAHLWINKEL 60° PC TRANSPARENT INKL. SILIKONDICHTUNG

Product number 7320-0520-0060-1996

No image available

KU IP MULTI-LINSENOPTIK 84IN1 520X116X13,7MM ABSTRAHLWINKEL 90° PC TRANSPARENT INKL. SILIKONDICHTUNG

Product number 7320-0520-0090-1996

No image available

KU MULTI-LINSENOPTIK 2X2 49,9X49,9X12 XMM ABSTRAHLWINKEL 20° PC TRANSPARENT

Product number 7325-5050-0020-1904

Height 9.12mm
 Width 49.9mm
 Länge: 49,9mm
 Surface and color: transparent
 beam angle: 20Grad
 Weight: 13,8g
 Material: Plastic

 KU MULTI-LINSENOPTIK 16IN1 50X50X7,35MM ABSTRAHLWINKEL 20° PC TRANSPARENT


Product number 7325-5050-0020-1916

Height 7.35mm
 Width 50mm
 Länge: 50mm
 Screw-on: Yes
 Surface and color: transparent
 beam angle: 20Grad
 Weight: 9,56g
 Material: Plastic

 KU MULTI-LINSENOPTIK 2X2 50,28X50,28X12,14MM ABSTRAHLWINKEL 30° PC TRANSPARENT


Product number 7325-5050-0030-1904

Height 12.14mm
 Width 50.28mm
 Länge: 50.28mm
 Screw-on: Yes
 Surface and color: transparent
 Weight: 17,06g
 beam angle: 30 degrees
 Material: Plastic

 KU MULTI-LINSENOPTIK 6IN1 49,8X49,8X8,22MM ABSTRAHLWINKEL 30° PC TRANSPARENT


Product number 7325-5050-0030-1906

Height 8.22mm
 Width 49.8mm
 Länge: 49,8mm
 Screw-on: Yes
 Weight: 9,86g
 beam angle: 30 degrees
 Material: Plastic

 KU MULTI-LINSENOPTIK 8IN1 49,5X49,5X8,22MM ABSTRAHLWINKEL 30° PC TRANSPARENT


Product number 7325-5050-0030-1908

Height 8.22mm
 Width 49.5mm
 Länge: 49,5mm
 Screw-on: Yes
 Weight: 10,66g
 beam angle: 30 degrees
 Material: Plastic

KU MULTI-LINSENOPTIK 24IN1 50X50X5,2 MM ABSTRAHLWINKEL 30° PC TRANSPARENT

Product number 7325-5050-0030-1924

Height 5,2mm
 Width 50mm
 Länge: 50mm
 Screw-on: Yes
 Surface and color: transparent
 beam angle: 30 degrees
 Weight: 7,67g
 Material: Plastic

KU MULTI-LINSENOPTIK 24IN1 50X50X6 MM ABSTRAHLWINKEL 40° PC TRANSPARENT

Product number 7325-5050-0040-1924

Height 6mm
 Width 50mm
 Länge: 50mm
 Screw-on: Yes
 Surface and color: transparent
 beam angle: 40 degrees
 Weight: 8,72g
 Material: Plastic

KU MULTI-LINSENOPTIK 16IN1 50X50X7MM ABSTRAHLWINKEL 45° PC TRANSPARENT

Product number 7325-5050-0045-1916

Height 7mm
 Width 50mm
 Länge: 50mm
 Screw-on: Yes
 Surface and color: transparent
 beam angle: 45 degrees
 Weight: 8,33g
 Material: Plastic

KU MULTI-LINSENOPTIK 16IN1 50X50X5,3MM ABSTRAHLWINKEL 50° EINFACH ASSYMETRISCH PC TRANSPARENT

Product number 7325-5050-0050-1916

Height 5,3mm
 Width 50mm
 Länge: 50mm
 Screw-on: Yes
 Surface and color: transparent
 Weight: 7,16g
 beam angle: 50Grad
 Material: Plastic

 KU MULTI-LINSENOPTIK 2X2 49,89X49,89X8,6MM ABSTRAHLWINKEL 60° PC TRANSPARENT


Product number 7325-5050-0060-1904

Height 8,6mm
 Width 49,89mm
 Länge: 49,89mm
 Screw-on: Yes
 Surface and color: transparent
 Weight: 8,96g
 beam angle: 60 degrees
 Material: Plastic

 KU MULTI-LINSENOPTIK 6IN1 49,8X49,8X7,5MM ABSTRAHLWINKEL 60° PC TRANSPARENT


Product number 7325-5050-0060-1906

Height 7,5mm
 Width 49,8mm
 Länge: 49,8mm
 Screw-on: Yes
 Surface and color: transparent
 beam angle: 60 degrees
 Weight: 7,08g
 Material: Plastic

 KU MULTI-LINSENOPTIK 8IN1 49,5X49,5X7,5MM ABSTRAHLWINKEL 60° PC TRANSPARENT


Product number 7325-5050-0060-1908

Height 7,5mm
 Width 49,5mm
 Länge: 49,5mm
 Screw-on: Yes
 Surface and color: transparent
 Weight: 7,64g
 beam angle: 60 degrees
 Material: Plastic

 KU MULTI-LINSENOPTIK 16IN1 50X50X5,3MM ABSTRAHLWINKEL 60° PC TRANSPARENT


Product number 7325-5050-0060-1916

Height 5,3mm
 Width 50mm
 Länge: 50mm
 Screw-on: Yes
 Surface and color: transparent
 beam angle: 60 degrees
 Weight: 5,27g
 Material: Plastic

 KU MULTI-LINSENOPTIK 24IN1 50X50X5,2 MM ABSTRAHLWINKEL 60° PC TRANSPARENT


Product number 7325-5050-0060-1924

Height 5.2mm
 Width 50mm
 Länge: 50mm
 Screw-on: Yes
 Weight: 5,53g
 beam angle: 60 degrees
 Material: Plastic

 KU MULTI-LINSENOPTIK 6IN1 49,8X49,8X7,5MM ABSTRAHLWINKEL 60° PC AMBER


Product number 7325-5050-0060-1934

Height 7.5mm
 Width 49.8mm
 Länge: 49,8mm
 Weight: 6,85g
 Surface and color:amber
 beam angle: 60 degrees
 Material: Plastic

 KU MULTI-LINSENOPTIK 2X2 50X50X7,81 MM ABSTRAHLWINKEL 90° PC TRANSPARENT


Product number 7325-5050-0090-1904

Height 7.81mm
 Width 50mm
 Länge: 50mm
 Screw-on: Yes
 Surface and color:transparent
 beam angle: 90 degrees
 Weight: 7,57g
 Material: Plastic

 KU MULTI-LINSENOPTIK 6IN1 49,8X49,8X7,5MM ABSTRAHLWINKEL 90° PC TRANSPARENT


Product number 7325-5050-0090-1906

Height 8.75mm
 Width 49.8mm
 Länge: 49,8mm
 Screw-on: Yes
 Surface and color:transparent
 beam angle: 90 degrees
 Weight: 5,69g
 Material: Plastic

 KU MULTI-LINSENOPTIK 8IN1 49,5X49,5X5,8MM ABSTRAHLWINKEL 90° PC TRANSPARENT


Product number 7325-5050-0090-1908

Height 5.8mm
 Width 49.5mm
 Länge: 49,5mm
 Screw-on: Yes
 beam angle: 90 degrees
 Weight: 6,35g
 Material: Plastic

 KU MULTI-LINSENOPTIK 16IN1 50X50X5MM ABSTRAHLWINKEL 90° PC TRANSPARENT


Product number 7325-5050-0090-1916

Height 5mm
 Width 50mm
 Länge: 50mm
 Screw-on: Yes
 Surface and color: transparent
 beam angle: 90 degrees
 Weight: 4,7g
 Material: Plastic

 KU MULTI-LINSENOPTIK 24IN1 50X50X3,5 MM ABSTRAHLWINKEL 90° PC TRANSPARENT


Product number 7325-5050-0090-1924

Height 3.5mm
 Width 50mm
 Länge: 50mm
 Screw-on: Yes
 beam angle: 90 degrees
 Weight: 4,76g
 Material: Plastic

 KU MULTI-LINSENOPTIK 8IN1 49,5X49,5X5,8MM ABSTRAHLWINKEL 114° PC TRANSPARENT


Product number 7325-5050-0114-1908

Height 5.8mm
 Width 49.5mm
 Länge: 49,5mm
 Screw-on: Yes
 Weight: 6,68g
 beam angle: 114Grad
 Material: Plastic

KU MULTI-LINSENOPTIK 2X2 49,89X49,89X8,48 MM ABSTRAHLWINKEL IESNA II S PC TRANSPARENT**Product number 7325-5050-2100-1904**

Height 8.48mm
 Width 49.89mm
 Länge: 49,89mm
 Screw-on: Yes
 Surface and color: transparent
 Weight: 9,16g
 Material: Plastic

KU MULTI-LINSENOPTIK 6IN1 49,8X49,8X8,5MM ABSTRAHLWINKEL IESNA II S PC TRANSPARENT**Product number 7325-5050-2100-1906**

Height 8.5mm
 Width 49.8mm
 Länge: 49,8mm
 Screw-on: Yes
 Weight: 10,83g
 Material: Plastic

KU MULTI-LINSENOPTIK 8IN1 49,5X49,5X5,31MM ABSTRAHLWINKEL IESNA II S PC TRANSPARENT**Product number 7325-5050-2100-1908**

Height 5.31mm
 Width 49.5mm
 Länge: 49,5mm
 Screw-on: Yes
 Weight: 5,84g
 Material: Plastic

KU MULTI-LINSENOPTIK 16IN1 50X50X4,25 MM ABSTRAHLWINKEL IESNA II S PC TRANSPARENT**Product number 7325-5050-2100-1916**

Height 4.25mm
 Width 50mm
 Länge: 50mm
 Screw-on: Yes
 Surface and color: transparent
 Weight: 5,62g
 Material: Plastic

 KU MULTI-LINSENOPTIK 24IN1 50X50X3,95 MM ABSTRAHLWINKEL IESNA II S PC TRANSPARENT



Product number 7325-5050-2100-1924

Height 3.95mm
 Width 50mm
 Länge: 50mm
 Screw-on: Yes
 Weight: 6,06g
 Material: Plastic

 KU MULTI-LINSENOPTIK 2X2 49,89X49,89X7,3 MM ABSTRAHLWINKEL IESNA II M PC TRANSPARENT



Product number 7325-5050-2200-1904

Height 7.3mm
 Width 49.89mm
 Länge: 49,89mm
 Screw-on: Yes
 Surface and color: transparent
 Weight: 9,54g
 Material: Plastic

 KU MULTI-LINSENOPTIK 6IN1 49,8X49,8X7,32MM ABSTRAHLWINKEL IESNA II M PC TRANSPARENT



Product number 7325-5050-2200-1906

Height 7.32mm
 Width 49.8mm
 Länge: 49,8mm
 Screw-on: Yes
 Weight: 10,66g
 Material: Plastic

 KU MULTI-LINSENOPTIK 8IN1 49,8X49,6X5,95MM ABSTRAHLWINKEL IESNA II M PC TRANSPARENT



Product number 7325-5050-2200-1908

Height 5.95mm
 Width 49.6mm
 Länge: 49,8mm
 Screw-on: Yes
 Weight: 7,2g
 Material: Plastic

 KU MULTI-LINSENOPTIK 6IN1 49,8X49,8X8,5MM ABSTRAHLWINKEL IESNA II M PC AMBER


Product number 7325-5050-2200-1934

Height 8.5mm
 Width 49.8mm
 Länge: 49,8mm
 Surface and color:amber
 Weight: 10,65g
 Material: Plastic

 KU MULTI-LINSENOPTIK 2X2 49,89X49,89X8,24 MM ABSTRAHLWINKEL IESNA III S PC TRANSPARENT


Product number 7325-5050-3100-1904


Height 8.24mm
 Width 49.89mm
 Länge: 49,89mm
 Screw-on: Yes
 Surface and color:transparent
 Weight: 12,1g
 Material: Plastic

 KU MULTI-LINSENOPTIK 8IN1 49,5X49,5X5,27MM ABSTRAHLWINKEL IESNA III S PC TRANSPARENT


Product number 7325-5050-3100-1908

Height 5.22mm
 Width 49.5mm
 Länge: 49,5mm
 Screw-on: Yes
 Weight: 6,38g
 Material: Plastic

 KU MULTI-LINSENOPTIK 2X2 49,89X49,89X8,24 MM ABSTRAHLWINKEL 150X80° IESNA III M PC TRANSPARENT


Product number 7325-5050-3200-1904

No image available

KU MULTI-LINSENOPTIK 6IN1 49,8X49,8X6,85MM ABSTRAHLWINKEL IESNA III M PC TRANSPARENT

**Product number 7325-5050-3200-1906**


Height 6.85mm
Width 49.8mm
Länge: 49,8mm
Screw-on: Yes
Weight: 10,07g
Material: Plastic

KU MULTI-LINSENOPTIK 16IN1 50X50X4,25 MM ABSTRAHLWINKEL IESNA III M PC TRANSPARENT


**Product number 7325-5050-3200-1916**

Height 4.25mm
Width 50mm
Länge: 50mm
Screw-on: Yes
Surface and color: transparent
Weight: 7,8g
Material: Plastic

KU MULTI-LINSENOPTIK 2X2 49,89X49,89X8,24 MM ABSTRAHLWINKEL 160X63° IESNA III M PC TRANSPARENT

**Product number 7325-5050-3201-1904**

KU MULTI-LINSENOPTIK 2X2 49,89X49,89X8,24 MM ABSTRAHLWINKEL IESNA IV S PC TRANSPARENT

**Product number 7325-5050-4100-1904**

KU MULTI-LINSENOPTIK 16IN1 50X50X4,8MM ABSTRAHLWINKEL IESNA V PC TRANSPARENT



Product number	7325-5050-5000-1916
Height	4.8mm
Width	50mm
Länge:	50mm
Screw-on:	Yes
Weight:	8,2g
Material:	Plastic

KU MULTI-LINSENOPTIK 2X2 49,89X49,89X8,24 MM ABSTRAHLWINKEL IESNA V PC TRANSPARENT



Product number	7325-5050-5100-1904
Height	8.24mm
Width	49.89mm
Länge:	49.89mm
Surface and color:	transparent
Weight:	7,1g
Material:	Plastic

KU MULTI-LINSENOPTIK 2X2 49,89X49,89X8,24 MM ABSTRAHLWINKEL IESNA V SM QUADRATISCH PC TRANSPARENT



Product number	7325-5050-5SM0-1904
-----------------------	----------------------------

KU MULTI-LINSENOPTIK 2X2 49,9X49,9X12MM ABSTRAHLWINKEL 50° EINFACH ASYMMETRISC HPC TRANSPARENT



Product number	7325-5050-SA50-1904
Height	12mm
Width	49.9mm
Länge:	49,9mm
Screw-on:	Yes
Surface and color:	transparent
beam angle:	50Grad
Material:	PC
Weight:	11,55g
IP Schutzart:	IP20

KU IP MULTI-LINSENOPTIK 12IN1 173X71,4X9,08MM ABSTRAHLWINKEL 30° PC TRANSPARENT INKL. DICHTUNG

Product number 7330-0173-0030-1912

Height 9.08mm
 Width 71.4mm
 Länge: 173mm
 Surface and color: transparent
 Material: PC
 Weight: 50g

KU IP MULTI-LINSENOPTIK 12IN1 173X71,4X10,4MM ABSTRAHLWINKEL 60° PC TRANSPARENT INKL. SILIKONDICHTUNG

Product number 7330-0173-0060-1912

Height 10.4mm
 Width 71.4mm
 Länge: 173mm
 Screw-on: Yes
 Weight: 54,57g
 beam angle: 60 degrees
 IP Schutzart: IP66
 Material: Plastic

KU IP MULTI-LINSENOPTIK 24IN1 173X71,4X6,5MM ABSTRAHLWINKEL 68° PC TRANSPARENT INKL. SILIKONDICHTUNG

Product number 7330-0173-0068-1924

Height 6.5mm
 Width 71.5mm
 Länge: 173mm
 Screw-on: Yes
 Weight: 62,8g
 beam angle: 68Grad
 IP Schutzart: IP66
 Material: Plastic

KU IP MULTI-LINSENOPTIK 12IN1 173X71,4X10,4MM ABSTRAHLWINKEL 90° PC TRANSPARENT INKL. SILIKONDICHTUNG

Product number 7330-0173-0090-1912

Height 10.4mm
 Width 71.4mm
 Länge: 173mm
 Screw-on: Yes
 beam angle: 90 degrees
 Weight: 56,71g
 IP Schutzart: IP66
 Material: Plastic

KU IP MULTI-LINSENOPTIK 24IN1 173X71,4X6,5MM ABSTRAHLWINKEL 94° PC TRANSPARENT INKL. SILIKONDICHTUNG

Product number 7330-0173-0094-1924

Height 6.5mm
 Width 71.4mm
 Länge: 173mm
 Screw-on: Yes
 beam angle: 94Grad
 Weight: 57,92g
 IP Schutzart: IP66
 Material: Plastic

KU IP MULTI-LINSENOPTIK 36IN1 173X71,4X6,5MM ABSTRAHLWINKEL IESNA II S PC TRANSPARENT INKL. SILIKONDICHTUNG

Product number 7330-0173-2100-1936

Height 6.5mm
 Width 71.4mm
 Länge: 173mm
 Screw-on: Yes
 Weight: 53,2g
 IP Schutzart: IP66
 Material: Plastic

KU IP MULTI-LINSENOPTIK 12IN1 173X71,4X10,4MM ABSTRAHLWINKEL IESNA II M PC TRANSPARENT INKL. SILIKONDICHTUNG


Product number 7330-0173-2200-1912

Height 10.4mm
 Width 71.4mm
 Länge: 173mm
 Screw-on: Yes
 Weight: 55,88g
 IP Schutzart: IP66
 Material: Plastic

KU IP MULTI-LINSENOPTIK 24IN1 173X71,4X6,5MM ABSTRAHLWINKEL IESNA II M PC TRANSPARENT INKL. SILIKONDICHTUNG

Product number 7330-0173-2200-1924

Height 6.5mm
 Width 71.4mm
 Länge: 173mm
 Screw-on: Yes
 Weight: 59,51g
 IP Schutzart: IP66
 Material: Plastic

KU IP MULTI-LINSENOPTIK 12IN1 173X71,4X9,08MM ABSTRAHLWINKEL IESNA TYP 3 M H PC TRANSPARENT INKL. DICHTUNG

Product number **7330-0173-32H0-1912**
KU IP MULTI-LINSENOPTIK 36IN1 173X71,4X9,23MM ABSTRAHLWINKEL 60X60° PC TRANSPARENT INKL. SILIKONDICHTUNG


Product number **7330-0173-6060-1936**

 Height 9.23mm
 Width 71.4mm
 Länge: 173mm
 Screw-on: Yes
 Weight: 57,26g
 beam angle: 60 degrees
 IP Schutzart: IP66
 Material: Plastic

KU IP MULTI-LINSENOPTIK 36IN1 173X71,4X9,23MM ABSTRAHLWINKEL 90X90° PC TRANSPARENT INKL. SILIKONDICHTUNG

Product number **7330-0173-9090-1936**

 Height 9.23mm
 Width 71.4mm
 Länge: 173mm
 Screw-on: Yes
 beam angle: 90 degrees
 Weight: 52,8g
 IP Schutzart: IP66
 Material: Plastic

KU IP MULTI-LINSENOPTIK 12IN1 173X71,4X7,12MM ABSTRAHLWINKEL IESNA II H V PC TRANSPARENT INKL SILIKONDICHTUNG

Product number **7330-2173-220H-1912**

KU RUNDOPTIK Ø184X12,5 MM 60° IP67 PC TRANSPARENT INKL. SILIKONDICHTUNG



Product number 7420-0184-0060-1900

Height 12.5mm
Screw-on: Yes
Surface and color: transparent
IP Schutzart: IP67
Outer diameter: 184,0mm
Weight: 168,8g
beam angle: 60 degrees
Material: Plastic

KU RUNDOPTIK Ø184X6,5 MM 81° IP67 PC TRANSPARENT INKL. 2 DICHTUNGEN



Product number 7420-0184-0081-1900

Height 6.5mm
Screw-on: Yes
Surface and color: transparent
beam angle: 81Grad
IP Schutzart: IP67
Outer diameter: 184,0mm
Weight: 102,34g
Material: Plastic

KU RUNDOPTIK Ø184X10,3 MM 90° IP67 PC TRANSPARENT INKL. SILIKONDICHTUNG



Product number 7420-0184-0090-1900

Screw-on: Yes
Surface and color: transparent
beam angle: 90 degrees
Weight: 112,89g
IP Schutzart: IP67
Material: Plastic

KU RUNDOPTIK Ø226X9,8 MM 90° IP67 PC TRANSPARENT



Product number 7420-0226-0090-1900

Height 9.8mm
Screw-on: Yes
Surface and color: transparent
beam angle: 90 degrees
Weight: 158,46g
Outer diameter: 226,0mm
IP Schutzart: IP67
Material: Plastic

KU RUNDOPTIK Ø226X6,25 MM 100° IP67 PC TRANSPARENT INKL. 2 SILIKONDICHTUNGEN



Product number 7420-0226-0100-1900

Height 6,25mm
Screw-on: Yes
Surface and color: transparent
Weight: 163,81g
Outer diameter: 226,0mm
IP Schutzart: IP67
beam angle: 100Grad
Material: Plastic

KU RUNDOPTIK Ø265X7 MM 81° IP67 PC TRANSPARENT INKL. 2 SILIKON DICHTUNGEN



Product number 7420-0265-0081-1900

Height 7mm
Screw-on: Yes
Surface and color: transparent
Weight: 206,52g
beam angle: 81Grad
Outer diameter: 265,0mm
IP Schutzart: IP67
Material: Plastic

KU RUNDOPTIK Ø265X12 MM 90° IP67 PC TRANSPARENT INKL. SILIKONDICHTUNG



Product number 7420-0265-0090-1900

Height 12mm
Screw-on: Yes
Surface and color: transparent
beam angle: 90 degrees
Outer diameter: 265,0mm
IP Schutzart: IP67
Weight: 277,8g
Material: Plastic

KU RUNDMULTIOPTIKOPTIK 30IN1 Ø184X12 MM 60° IP67 PC TRANSPARENT INKL. SILIKONDICHTUNG



Product number 7421-0184-0060-1900

Height 12mm
Screw-on: Yes
Surface and color: transparent
IP Schutzart: IP67
Outer diameter: 184,0mm
beam angle: 60 degrees
Weight: 134,2g
Material: Plastic

KU RUNDMULTIOPTIKOPTIK 50IN1 Ø226X12 MM 90° IP67 PC TRANSPARENT INKL. SILIKONDICHTUNG



Product number 7421-0226-0090-1900

Height 12mm
 Screw-on: Yes
 Surface and color: transparent
 beam angle: 90 degrees
 Outer diameter: 226,0mm
 IP Schutzart: IP67
 Weight: 180,69g
 Material: Plastic

KU RUNDMULTIOPTIKOPTIK 60IN1 Ø265X11,93 MM 90° IP67 PC TRANSPARENT



Product number 7421-0265-0090-1900

Height 11.93mm
 Screw-on: Yes
 Surface and color: transparent
 beam angle: 90 degrees
 Weight: 240,53g
 Outer diameter: 265,0mm
 IP Schutzart: IP67
 Material: Plastic

KU ENDKAPPE F. LINEAROPTIK 280X43 MM PC TRANSPARENT



Product number 7500-0280-000A-1927
 Height 5mm
 Width 43mm
 Länge: 10mm
 Surface and color: transparent
 Weight: 0,8g
 Material: Plastic

KU LINEAROPTIK M. EINZELLINSEN 280X43 MM 9,6 MM HOCH ABSTRAHLWINKEL EINFACHASYMMETRISCH PMMA TRANSPARENT



Product number 7500-0280-0925-4727
 Height 9.63mm
 Width 43mm
 Länge: 280mm
 Surface and color: transparent
 Weight: 46,8g
 Material: PMMA

KU LINEAROPTIK M. EINZELLINSEN 280X43 MM 9,5 MM HOCH ABSTRAHLWINKEL 30° PMMA TRANSPARENT



Product number 7500-0280-0930-4727
 Height 9.5mm
 Width 40mm
 Länge: 280mm
 Screw-on: Yes
 Surface and color: transparent
 Weight: 44,04g
 beam angle: 30 degrees
 Material: Plastic

KU LINEAROPTIK M. EINZELLINSEN 280X43 MM 9,5 MM HOCH ABSTRAHLWINKEL 60° PMMA TRANSPARENT



Product number 7500-0280-0960-4727
 Height 9.5mm
 Width 40mm
 Länge: 280mm
 Screw-on: Yes
 Surface and color: transparent
 Weight: 45,74g
 beam angle: 60 degrees
 Material: Plastic

KU LINEAROPTIK M. EINZELLINSEN 280X43 MM 9,6 MM HOCH ABSTRAHLWINKEL DOPPELT ASYMMETRISCH PMMA TRANSPARENT



Product number 7500-0280-0980-4727
 Height 9.6mm
 Width 43mm
 Länge: 280mm
 Surface and color:transparent
 Weight: 47,25g
 Material: Plastic

KU LINEAROPTIK M. EINZELLINSEN 280X43 MM 9,5 MM HOCH ABSTRAHLWINKEL 90° PMMA TRANSPARENT




Product number 7500-0280-0990-4727
 Height 9.5mm
 Width 40mm
 Länge: 280mm
 Screw-on: Yes
 Surface and color:transparent
 beam angle: 90 degrees
 Weight: 47,14g
 Material: Plastic

KU UGR ABDECKUNG "HONEYCOMB" 280,5X47,8MM 3MM HOCH PC SCHWARZ




Product number 7500-0285-0300-1923
 Height 3mm
 Width 47.8mm
 Länge: 280,5mm
 Surface and color:black
 Weight: 16,54g
 Material: PC

KU UGR ABDECKUNG "HONEYCOMB" 280,5X47,8MM 3MM HOCH PC WEISS



Product number 7500-0285-0300-1924
 Height 3mm
 Width 47.8mm
 Länge: 280,5mm
 Weight: 16,8g
 Material: PC
 Surface and color:white

KU UGR ABDECKUNG "HONEYCOMB" 290,82X64,8MM 3MM HOCH ANEINADERREIHBAR PC SCHWARZ



Product number 7500-0285-0365-1923

KU LINEAROPTIK 285X42 MM 9,5 MM HOCH ABSTRAHLWINKEL 90° PC TRANSPARENT



Product number 7500-0285-0990-1927

Height 9.5mm
Width 42mm
Länge: 285mm
Clipable: yes
Surface and color:transparent
Weight: 22g
beam angle: 90 degrees
Material: PC

KU UGR ABDECKUNG "RASTER" 280X46X10 MM HOCH PC SCHWARZ



Product number 7500-0285-1000-1923

Height 10mm
Width 46mm
Länge: 280mm
Surface and color:black
Weight: 23,3g
Material: PC


KU UGR ABDECKUNG "RASTER" 280X46X10 MM HOCH PC SILBER METALLISIERT



Product number 7500-0285-1000-1936

Height 10mm
Width 46mm
Länge: 280mm
Surface and color:silver
Material: PC
Weight: 23,05g

KU UGR ABDECKUNG "RASTER" 286X65X10 MM HOCH PC SCHWARZ



Product number 7500-0285-1065-1923

KU LINEAROPTIK 285X42 MM 11,6 MM HOCH ABSTRAHLWINKEL 60° PC TRANSPARENT



Product number 7500-0285-1160-1927

Height 11.6mm
Width 42mm
Länge: 285mm
Surface and color:transparent
beam angle: 60 degrees
Weight: 41,3g
Material: Plastic

KU LINEAROPTIK 285X40MM 12,88MM HOCH ABSTRAHLWINKEL 20° DOPPELTASSYMETRISCH PMMA TRANSPARENT



Product number 7500-0285-1220-4727

Height 12.88mm
Width 40mm
Länge: 285mm
Surface and color:transparent
beam angle: 20Grad
Weight: 42,85g
Material: Plastic


KU LINEAROPTIK 285X40MM 14,4MM HOCH ABSTRAHLWINKEL 20° EINFACH ASSYMETRISCH PMMA TRANSPARENT



Product number 7500-0285-1420-4727

Height 14.4mm
Width 40mm
Länge: 285mm
Surface and color:transparent
beam angle: 20Grad
Weight: 49,2g
Material: Plastic

KU UGR ABDECKUNG "HONEYCOMB" 290,5X47,8MM 3MM HOCH ANEINADERREIHBAR PC SCHWARZ



Product number 7500-090-0300-1923

LINEAR CLICK OPTIC 2-ROW 283X40X8,6MM BEAM ANGLE 60° PMMA TRANSPARENT



Product number 7501-0283-8660-4727

Height 8.6mm
Width 40mm
Länge: 283mm
Surface and color: transparent
Weight: 61g
Material: Plastic

KU LINEAROPTIK ANCLIPSBAR 286X61X9,6 MM ABSTRAHLWINKEL 25° DOPPELT ASSYMETRISCH PC TRANSPARENT



Product number 7501-0286-0925-1927

Height 9.6mm
Width 61mm
Länge: 286mm
Clipable: yes
Weight: 62,51g
beam angle: 25 degrees
Material: Plastic

KU LINEAROPTIK ANCLIPSBAR 286X61X9,6 MM ABSTRAHLWINKEL 30° PC TRANSPARENT



Product number 7501-0286-0930-1927

Height 9.6mm
Width 61mm
Länge: 286mm
Clipable: yes
Weight: 62,49g
beam angle: 30 degrees
Material: Plastic

KU LINEAROPTIK ANCLIPSBAR 286X61X9,6 MM ABSTRAHLWINKEL 90° PC TRANSPARENT



Product number 7501-0286-0990-1927

Height 9.6mm
 Width 61mm
 Länge: 286mm
 Clipable: yes
 beam angle: 90 degrees
 Weight: 68,23g
 Material: Plastic

KU LINEAROPTIK ANCLIPSBAR 286X61X11,2 MM ABSTRAHLWINKEL 60° PC TRANSPARENT



Product number 7501-0286-1160-1927

Height 11.2mm
 Width 61mm
 Länge: 286mm
 Clipable: yes
 beam angle: 60 degrees
 Weight: 72,18g
 Material: Plastic

ENDCAP FOR LINEAR OPTIC 2-ROW PC CLEAR



Product number 7501-0567-0283-4727

Height 40mm
 Width 9mm
 Länge: 9mm
 Surface and color: transparent
 Weight: 1,5g
 Material: Plastic

LINEAR CLICK OPTIC 2-ROW 567X40X8,6MM BEAM ANGLE 60° PMMA TRANSPARENT



Product number 7501-0567-8660-4727

Height 8.6mm
 Width 40mm
 Länge: 567mm
 Surface and color: transparent
 Weight: 125g
 Material: Plastic

KU ENDKAPPE B FÜR LINEAROPTIKE 567MM & 283MM PC TRANSPARENT



Product number 7501-B567-0283-4727
 Height 40mm
 Width 9mm
 Länge: 5mm
 Surface and color: transparent
 Weight: 1g
 Material: Plastic

KU LINEAROPTIK ANCLIPSBAR 284,5X20X7 MM ABSTRAHLWINKEL 30° PC TRANSPARENT



Product number 7502-0284-0730-1927
 Height 7mm
 Width 20mm
 Länge: 284,5mm
 Clipable: yes
 beam angle: 30 degrees
 Weight: 27,19g
 Material: Plastic

KU LINEAROPTIK ANCLIPSBAR 285,7X20X6,6 MM ABSTRAHLWINKEL 25° DOPPELT ASSYMETRISCH PC TRANSPARENT



Product number 7502-0285-0625-1927
 Height 6.6mm
 Width 20mm
 Länge: 285,7mm
 Clipable: yes
 Weight: 22,54g
 beam angle: 25 degrees
 Material: Plastic

KU LINEAROPTIK ANCLIPSBAR 285,2X20X7,3 MM ABSTRAHLWINKEL 18° EINFACHASSYMETRISCH PC TRANSPARENT



Product number 7502-0285-0718-1927
 Height 7.3mm
 Width 20mm
 Länge: 285,2mm
 Clipable: yes
 beam angle: 18 degrees
 Weight: 25,4g
 Material: Plastic

KU LINEAROPTIK ANCLIPSBAR 285,7X20X7 MM ABSTRAHLWINKEL 90° PC TRANSPARENT




Product number **7502-0285-0790-1927**
 Height 7mm
 Width 20mm
 Länge: 285,7mm
 Clipable: yes
 beam angle: 90 degrees
 Weight: 27,1g
 Material: Plastic

KU LINEAROPTIK ANCLIPSBAR 285,7X20X8 MM ABSTRAHLWINKEL 78° PC TRANSPARENT




Product number **7502-0285-0878-1927**
 Height 8mm
 Width 20mm
 Länge: 285,5mm
 Clipable: yes
 beam angle: 78Grad
 Weight: 28,68g
 Material: Plastic

KU LINEAROPTIK ANCLIPSBAR 745,61X65,93X17,07MM ABSTRAHLWINKEL 60° PC TRANSPARENT



Product number **7502-0746-1760-1927**

KU LINEAROPTIK ANCLIPSBAR 745,61X65,93X17,07MM ABSTRAHLWINKEL 90° PC TRANSPARENT



Product number **7502-0746-1790-1927**

KU LINEAROPTIK ANSCHRAUBBAR 286X61X15,3 MM ABSTRAHLWINKEL 120° PMMA TRANSPARENT



Product number 7503-0286-15120-4727

Height 15.3mm
 Width 61mm
 Länge: 286mm
 Screw-on: Yes
 beam angle: 120 degrees
 Weight: 101,82g
 Material: Plastic

KU LINEAROPTIK ANSCHRAUBBAR 286X61X15,3 MM ABSTRAHLWINKEL 18° EINFACH ASSYMETRISCH PMMA TRANSPARENT



Product number 7503-0286-1518-4727

Height 15.3mm
 Width 61mm
 Länge: 286mm
 Screw-on: Yes
 beam angle: 18 degrees
 Weight: 95,42g
 Material: Plastic

KU LINEAROPTIK ANSCHRAUBBAR 286X61X15,3 MM ABSTRAHLWINKEL 30° PMMA TRANSPARENT



Product number 7503-0286-1530-4727

Height 15.3mm
 Width 61mm
 Länge: 286mm
 beam angle: 30 degrees
 Weight: 86,76g
 Material: Plastic

KU LINEAROPTIK ANSCHRAUBBAR 286X61X15,3 MM ABSTRAHLWINKEL 40° BEIDSEITIG ASSYMETRISCH PMMA TRANSPARENT



Product number 7503-0286-1540-4727

Height 15.3mm
 Width 61mm
 Länge: 286mm
 Screw-on: Yes
 beam angle: 40 degrees
 Weight: 99,09g
 Material: Plastic

KU LINEAROPTIK ANSCHRAUBBAR 286X61X15,3 MM ABSTRAHLWINKEL 60° PMMA TRANSPARENT



Product number **7503-0286-1560-4727**

Height 15.3mm
 Width 61mm
 Länge: 286mm
 Screw-on: Yes
 beam angle: 60 degrees
 Weight: 95,69g
 Material: Plastic

KU LINEAROPTIK ANSCHRAUBBAR 286X61X15,3 MM ABSTRAHLWINKEL 90° PMMA TRANSPARENT



Product number **7503-0286-1590-4727**

Height 15.3mm
 Width 61mm
 Länge: 286mm
 Screw-on: Yes
 beam angle: 90 degrees
 Weight: 91,47g
 Material: Plastic

KU IP LINEAROPTIK 286X60,5X12 MM ABSTRAHLWINKEL 90° PMMA TRANSPARENT INKL. SILIKONDICHTUNG



Product number **7520-1286-1290-1927**

Height 12mm
 Width 60mm
 Länge: 286mm
 Screw-on: Yes
 beam angle: 90 degrees
 Weight: 97,49g
 IP Schutzart: IP66
 Material: Plastic

KU SCHRAUBENABDECKUNG F. OPTIK 3X11 Ø9,5X2MM PC TRANSPARENT


Product number 7305-0286-0902-1927

Height 2mm
 Surface and color:transparent
 Outer diameter: 9,5mm
 Weight: 0,15g
 Material: Plastic

KU MULTI-LINSENOPTIK 3X11 286X61X6,3 MM DA 20° ABSTRAHLWINKEL PMMA MATT


Product number 7305-0286-6020-4727

Height 6.3mm
 Width 61mm
 Länge: 286mm
 beam angle: 20Grad
 Weight: 50g
 Linsentyp: Multilinsen
 Surface and color:matt
 Material: Plastic

KU MULTI-LINSENOPTIK 3X11 286X61X6,3 MM 60° ABSTRAHLWINKEL PMMA MATT



Product number 7305-0286-6060-4727

Height 6.3mm
 Width 61mm
 Länge: 286mm
 Weight: 47,4g
 beam angle: 60 degrees
 Surface and color:matt
 Material: Plastic

KU MULTI-LINSENOPTIK 3X11 286X61X10,23 MM 70° ABSTRAHLWINKEL PC OBERFLÄCHE SCHWARZ GLÄNZEND M. EINZELREFLEKTOREN


Product number 7305-0286-6070-1923

Height 10.23mm
 Width 61mm
 Länge: 286mm
 Screw-on: Yes
 Weight: 65,3g
 Surface and color:black
 beam angle: 70Grad
 Material: Plastic

KU MULTI-LINSENOPTIK 3X11 286X61X10,23 MM 70° ABSTRAHLWINKEL PC OBERFLÄCHE WEISS M. EINZELREFLEKTOREN


Product number 7305-0286-6070-1924

KU MULTI-LINSENOPTIK 3X11 286X61X6,3 MM 90° ABSTRAHLWINKEL PMMA MATT


Product number 7305-0286-6090-4727

Height 6.3mm
 Width 61mm
 Länge: 286mm
 beam angle: 90 degrees
 Weight: 45,55g
 Surface and color:matt
 Material: Plastic

KU MULTI-LINSENOPTIK 3X11 286X61X6,3 MM 120° ABSTRAHLWINKEL PMMA MATT


Product number 7305-0286-6120-4727

Height 6.3mm
 Width 61mm
 Länge: 286mm
 Weight: 54,45g
 beam angle: 120 degrees
 Surface and color:matt
 Material: Plastic

KU MULTI-LINSENOPTIK 3X11 286X61X11,5 MM 60° ABSTRAHLWINKEL PMMA MATT


Product number 7305-C286-6160-4727

Height 11.5mm
 Width 61mm
 Länge: 286mm
 Weight: 88,9g
 beam angle: 60 degrees
 Surface and color:matt
 Material: Plastic

 KU MULTI-LINSENOPTIK 3X11 28X61X11,5 MM 90° ABSTRAHLWINKEL PMMA MATT


Product number 7305-C286-6190-4727

Height 11.5mm
 Width 61mm
 Länge: 286mm
 beam angle: 90 degrees
 Surface and color:matt
 Weight: 78,15g
 Material: Plastic

 KU MULTI-LINSENOPTIK 3X11 285,87X61X7,82 MM 60° ABSTRAHLWINKEL PMMA MATT


Product number 7305-F285-6160-4727

Height 7.82mm
 Width 61mm
 Länge: 285,87mm
 Weight: 73,45g
 beam angle: 60 degrees
 Surface and color:matt
 Material: Plastic

 KU MULTI-LINSENOPTIK 3X11 285,87X61X7,82 MM 90° ABSTRAHLWINKEL PMMA MATT


Product number 7305-F285-6190-4727

Height 7.82mm
 Width 61mm
 Länge: 285,87mm
 beam angle: 90 degrees
 Weight: 74,7g
 Surface and color:matt
 Material: Plastic

KU HALTER 21,78X14,67 MM F. Ø 21 MM SPOTOPTIK PC SCHWARZ

**Product number 7902-2178-0014-4723**

Height 14.67mm
Clipable: yes
Surface and color:black
Outer diameter: 21,78mm
Weight: 1,46g
Material: Plastic

KU ENDKAPPE B 37,29X8,10 MM FÜR LINEAROPTIK 285X40 MM PC TRANSPARENT

**Product number 7905-0037-0800-1927**

Height 8.1mm
Länge: 37,29mm
Clipable: yes
Surface and color:transparent
Weight: 0,71g
Material: Plastic

KU ENDKAPPE A 39,98X9,5 MM FÜR LINEAROPTIK 285X40 MM PC TRANSPARENT

**Product number 7905-0039-0900-1927**

Height 9.5mm
Width 39.98mm
Clipable: yes
Surface and color:transparent
Weight: 1g
Material: Plastic